



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/765,008	01/26/2004	Nenad Nestorovic	MVIS 97-05 C4	1293

7590 01/25/2005
Intellectual Property Counsel
Microvision, Inc.
PO Box 3008
Bothell, WA 98041

EXAMINER

GABOR, OTILIA

ART UNIT PAPER NUMBER

2878

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

17

Office Action Summary	Application No. 10/765,008	Applicant(s) NESTOROVIC ET AL.	
	Examiner Otilia Gabor	Art Unit 2878	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 January 2004 and 01 November 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 101-156 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 101-156 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>01/26/2004</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 126-127 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

3. Claim 126 recites the limitation "the method...of claim 122" in lines 1-2. There is insufficient antecedent basis for this limitation in the claim.

Claim 122 is an apparatus claim (the video display) not a method claim.

Claim 127 is rejected as being dependent from a rejected claim (claim 126).

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 101, 103, 112, 113, 119, 121-125, 128, 134, 136, 140, 151-156 rejected under 35 U.S.C. 102(b) as being clearly anticipated by Pinnow et al. (U. S. Patent 3,352,956).

Pinnow discloses (Fig.2) a display device that produces visible image (static) in response to an input image signal, the device comprising:

- a screen (10) including a base plate and a wavelength converting coating (11) responsive to output light of a first wavelength (red) in the visible range in response to light of a second wavelength (16, 17; blue and green), the panel containing phosphor and thus a photoluminescent material;
- a light source (12, 14, 15) operative to emit modulated light of a second wavelength in response to the image signal;
- a scanner assembly (18) having an input aligned optically to receive light from the light source and an output aligned optically to direct the light received at the input to the screen, the scanner assembly being responsive to a driving signal to scan the received light directly onto the wavelength converting coating (11) in a periodic pattern.

In operation, the method of providing a visible image to a user comprises the following steps: modulating light of a first wavelength (16, 17) with image information; scanning (18) the light of a first wavelength in a periodic pattern directly onto a wavelength converting coating; and converting with the wavelength converting coating (11) the scanned light of the first wavelength into a light of a second wavelength (red).

Regarding claims 112, 113 Pinnow discloses that the wavelength converting material includes phosphor and an organic compound (see claim 3).

Regarding claim 119 Pinnow discloses that the panel is viewable by a viewer (since the wavelength is in the visible a direct viewing is possible).

Regarding claim 121 the video display is one that has the photoluminescent panel in a front-projection configuration (the first wavelength impinges upon the panel from the same side that the viewer faces).

Regarding claim 136 Pinnow discloses (Col.3, lines 20-24) that the scanner assembly includes a mirror mounted for pivotal movement about an axis of rotation.

Regarding claim 140 Pinnow discloses (Fig.2) that the wavelength converting coating is a visible wavelength sensitive phosphor and the second wavelength is a visible wavelength.

Regarding claim 152 Pinnow discloses emitting continuous wave light of the first wavelength with a light source and modulating the continuous light with an external amplitude modulator (14) separate from the light source.

Regarding claims 122, 128, 153 Pinnow discloses (Col.3, lines 29-32) raster scanning.

Regarding claim 154 Pinnow discloses redirecting light with a scanning mirror (18).

Regarding claims 101, 155, 156 Pinnow discloses converting light of the first wavelength into light of a second wavelength by applying light to the photo-luminescent material, a phosphor (11, 27).

6. Claims 101, 103, 123, 151, 155, 156 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Deckman (U. S. Patent 4,891,829).

Deckman discloses (Figs.1-3) a method of providing a visible image to a user,

Art Unit: 2878

comprising the steps of: modulating light of a first wavelength (X-ray; n quanta) with image information (X-ray target object); scanning the light of the first wavelength in a periodic pattern (Fig.3); and converting (energy converter) the scanned light of the first wavelength into light of a second wavelength (visible; $n \times m$ quanta). Since the gain element is optional, the scanning of the light of the first wavelength onto the wavelength converting coating is direct. In operation, the X-ray is modulated with information of the target object as the X-ray source is scanned around the object and is converted into visible radiation with energy converter. The conversion of the light from the first into the second wavelength includes applying the scanned light onto a photoluminescent material, such as a phosphor (Col.3, lines 65-68).

7. Claim 101, 103, 106, 107, 112, 119, 120, 122-125, 128-131, 134, 136, 151-156 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Michael et al. (GB 2186147 A).

Michael discloses a video display device that produces a visible image in response to an input image signal, and method of providing a visible image to a user, the system comprising:

- a screen including a base plate (6) and a wavelength converting coating (5) responsive to output light of a first wavelength in the visible range in response to light of a second wavelength (UV light);
- a light source (1) operative to emit modulated light of a second wavelength (in UV range) in response to the image signal (see Figg.1, Col.1, lines 65-71);

Art Unit: 2878

- a scanner assembly (3, 4) having an input aligned optically to receive light from the light source (1) and an output aligned optically to direct the light received at the input to the screen (5, 6), the scanner assembly being responsive to a driving signal to scan the received light directly onto the wavelength converting coating (5) in a periodic pattern (see Fig.1, Col.1, lines 52-103, claim 1). The wavelength-converting panel is of a phosphor material and thus photoluminescent.

In operation, the method of producing a video image comprises the steps of: receiving an image signal (see claim 1); modulating the output of a light source responsive to the image signal (see claim 1); scanning the modulated first wavelength beam (UV light) from the light source (1) across the photoluminescent panel (5, 6); and converting the first wavelength (UV) to a second wavelength (visible). See Fig.1, claims 1-6.

Regarding claims 106, 107, 131 Michael discloses that the light source is a laser emitting ultraviolet light (see Col.1, lines 59-64).

Regarding claim 112 Michael discloses that the wavelength converting material includes phosphor (see Fig.1).

Regarding claim 119 Michael discloses that the panel is directly observable by the viewer (see Col.1, lines 89-104).

Regarding claim 120 Michael discloses that the scanned beam at the first wavelength impinges upon the panel surface opposite that of the viewer (see Col.1,

Art Unit: 2878

lines 92-103; the panel support is transparent to visible light and thus the viewer sees the image from a side opposite to that which is scanned).

Regarding claims 122, 128, 153 Michael discloses that the scanning is done in a raster pattern (see claim 5).

Regarding claims 124, 125 Michael discloses that the scanned modulated first wavelength beam forms a pattern on the photoluminescent panel corresponding to the image signal and the emitted second wavelength light corresponds to the pattern of the scanned modulated first wavelength beam (see Col.1, lines 89-104).

Regarding claims 129, 130 Michael discloses that the first wavelength is in the UV region of the spectrum and the second wavelength is in the visible region of the spectrum and thus it includes the wavelength between 405 and 410 nm.

Regarding claim 136 Michael discloses that the scanner assembly includes a mirror mounted for pivotal movement about an axis of rotation (see Fig.1).

Regarding claim 152 Michael discloses that the modulating is done by continuously modulating the light from the light source with a modulator (2) separate from the light source (see Fig.1).

Regarding claim 154 Michael discloses that the light is redirected with a scanning mirror (4).

Regarding claims 155, 156 Michael discloses converting the scanned light of the first wavelength into a second wavelength by applying the scanned light to a photoluminescent material such as a phosphor (5).

Art Unit: 2878

8. Claims 101, 102, 106, 107, 112, 114-117, 119, 121-125, 129-131, 134, 136, 142, 143, 151, 154-156 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Wells et al. (WO 90/12387).

Wells discloses a video display apparatus and method of providing a visible image to a viewer, the display comprising: a screen (18) including a base plate and a wavelength converting coating responsive to output light of a first wavelength in a visible range in response to light of a second wavelength (UV range); a light source (11) operative to emit a modulated light of a second wavelength (UV light) in response to the image signal; and a scanner assembly (14-17) having an input aligned optically to receive light from the light source and an output optically aligned to direct the light received at the input screen (18) so that the scanner assembly scans the received light directly onto the wavelength converting coating (phosphor) in a periodic pattern (see Fig.1). In operation, after the laser light of the first wavelength is modulated (see page 2, lines 21-22), it is sent to the scanner assembly which scans the laser light in a periodic pattern directly onto a wavelength converting coating (photoluminescent phosphor), which converts the incident UV light into a visible light having a second wavelength.

Regarding claim 102 Wells discloses control electronics (19, 20) operable to provide an image signal (22) to the first light source (11) which light source is responsive to this control electronics to modulate the beam emitted between at least two energy levels (the appropriate line intensity modulation signal is fed to the light source to control the power of the beam according to the different fluorescent light responses which could be red, green or blue).

Art Unit: 2878

Regarding claims 106, 107, 131 Wells discloses that the laser is operable to emit UV light.

Regarding claim 112 Wells discloses that the wavelength converter includes phosphor.

Regarding claims 114, 115, 116 Wells discloses that the photoluminescent panel includes a plurality of wavelength converting materials each of them responsive to convert incident light to a particular second wavelength (see abstract) where the plurality of materials is formed in a series of interstitially located lines (see abstract, Fig.1, and page 5), and that the particular emission wavelength includes wavelengths corresponding to red, green and blue (see pages 4, 5).

Regarding claim 117 Wells discloses the presence of a radio-frequency receiver coupled to the light source (see page 2).

Regarding claim 119 Wells discloses that the image is viewable by a viewer (visible light is emitted from the panel, thus image is directly observable by a viewer).

Regarding claim 121 Wells discloses the scanned beam directly scanning the phosphor coating and does not indicate that the support is transparent to visible light and therefore the viewer has to view the screen from the same side as the scanning assembly. Thus it is a front-projection configuration.

Regarding claims 122, 128, 153 Wells discloses that the scanning is done in a raster pattern (see Fig.1)

Regarding claims 124, 125, 154 Wells discloses that the scanned first wavelength beam forms a pattern on the photoluminescent panel corresponding to the

Art Unit: 2878

image signal where the second wavelength light emitted by the panel corresponds to the pattern of the scanned light, where the scanning of the light includes redirecting the light with a scanning mirror (see Fig.1, page 5).

Regarding claims 129, 130 Wells discloses that the first wavelength is in the UV range and the second wavelength is in the visible range, and thus it includes the range of 405 to 410 nm.

Regarding claim 136 Wells discloses that the scanner assembly includes a mirror mounted for pivotal movement about an axis of rotation (see Fig.1).

Regarding claims 142, 143 Wells discloses that the light source is directly modulated.

Regarding claims 155, 156 Wells discloses converting the light of the first wavelength (UV) into light of a second wavelength (visible) by a photoluminescent panel (18), where the photoluminescent material includes phosphor (see abstract).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 2878

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

11. Claims 101, 123-125, 128, 133-136, 139-142, 151, 152, 154-156 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jehle (U. S. Patent 3,971,931).

Jehle discloses a display device that produces a visible image in response to an input image signal, comprising: a screen, including a base plate and a wavelength converting coating (22) responsive to output light of a first wavelength in a visible range (44) in response to light of a second wavelength; a light source (LED 10) operative to emit modulated light of the second wavelength in response to the image signal (video); and a scanner assembly (14, 16) having an input aligned optically to receive light from the light source and an output aligned optically to direct the light received at the input to the screen, the scanner assembly being responsive to a driving signal to scan the received light onto the wavelength converting coating in a periodic pattern. Jehle uses an image intensifier (48) positioned between the scanner assembly and the screen and therefore it does not directly scan the incident light onto the converting phosphor coating, however since he discloses in Col.1, lines 25-58, that his invention overcomes the prior art conventional systems where there is no image intensifier utilized, it is obvious to one having ordinary skill in the art that having an image intensifier in the system is optional and therefore if clarity and resolution is not of the most importance,

Art Unit: 2878

one can use the conventional systems where there is no image intensifier and where the scanning assembly scans the incident light directly onto the phosphor screen.

Regarding claims 123, 151 Jehle discloses (see Fig.1) a method of providing a visible image to a user, comprising the steps of: modulating light of a first wavelength (infrared, see Col.2, lines 30-31) with image information (video); scanning the light of the first wavelength in a periodic pattern (with mirror 14); and converting the scanned light into light of a second wavelength (visible, see Col.2, line 39).

Regarding claims 153, 154 Jehle discloses the step of scanning the light of the first wavelength in a periodic pattern where the step includes directing the light through a substantially raster pattern or redirecting the light with a scanning mirror (see Col.2, lines 21-24).

Regarding claims 136 Jehle discloses the scanner assembly as containing a mirror that can rotate pivotally around an axis (inherently).

Regarding claims 139-141 Jehle discloses (Col.2, lines 29-33) that the wavelength converting coating includes a phosphor and that the second wavelength is in the range of infrared, visible or UV.

Regarding claim 152 Jehle discloses a video signal modulating the light source (it is inherent that emission and modulation is continuous otherwise choppy images result).

Regarding claim 154 Jehle discloses a scanning mirror (14).

Regarding claims 155-156 Jehle discloses using phosphor, which is a photoluminescent material.

Art Unit: 2878

12. Claims 104, 105, 126, 127, 137, 138 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pinnow or Deckman or Michael or Wells or Jehle.

Pinnow, Deckman, Michael, Wells and Jehle fail to disclose a micro-electro-mechanical system with the claimed scanning refresh and frame rate as the scanning assembly, however it would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the claimed scanning mechanism since these scanners are well known and widely utilized scanning assemblies for their obvious advantage (finer scanning precision), and since none of the references put a limitation as to the type of scanners that can be utilized in their system.

13. Claims 106-111, 131, 132, 133, 142-150 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pinnow, claims 106-111, 131-133, 142-150 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deckman, claims 108-111, 132, 133, 142-150 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michael, claims 108-111, 132, 133, 144-150 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wells, and claims 106-111, 131, 132, 143-150 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jehle.

None of the references cited above disclose the claimed light source types, however it would have been obvious to one having ordinary skill in the art to utilize any conventionally available light sources, since none put a limitation as to what type of light source that can be utilized in their system. The claimed light sources are conventionally used in the art as light sources and thus qualify as equivalents of the light sources used in the prior art cited.

Art Unit: 2878

14. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pinnow or Deckman, Michael, Wells or Jehle.

None of the references cited discloses a computer for generating an image signal, however since the references disclose a video signal as the image signal it is obvious that it can be generated by a computer, and thus it would have been obvious to one having ordinary skill in the art to do just that since the Applicant has not shown that utilizing a computer to do that solves any stated problem and is for any particular purpose.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Otilia Gabor whose telephone number is 571-272-2435. The examiner can normally be reached on Monday, Thursday-Friday between 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2878

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Otilia Gabor
Examiner
Art Unit 2878

A handwritten signature in cursive script, appearing to read "Otilia Gabor", written in black ink.